

CHRONOS • VPS SERIES

Auger valve bag filler



CHRONOS • VPS SERIES

Auger valve bag filler



UP TO 5 BPM (300/HOUR)*

*Depending on the application, bag characteristics, and machine configuration

Easy to use

High-speed delivery of product into bags with a userfriendly design, featuring a removable screw for easy cleaning and effortless adjustment.

Accurate

Provides precise weight control with high filling accuracy, featuring an advanced filling and weighing system with the SpeedAC iQ controller.

High design quality

Compact design, perfect for installations with limited headroom, and featuring a robust welded steel frame.



The VPS Series can handle even the stickiest products, like cake mixes and pea protein, with ease!

Bulk Materials





Fine Powders

Flakes



Granulars

Powders

-

Pellets

Bag Types

Paper, F




Paper, PE and woven PP valve bags

Bag Material

Valve

Typical Equipment Dimensions



Side view

Specifications

Product density 25 to 70 lbs/ft³ (400 to 1121 kg/m³)

Bag specifications

Length: Up to 34" (863 mm) long pasted valve multiwall bag Weight: 22 to 88 lb (10 to 40 kg)

Electrical requirements 460 V – 3 Ph – 60 Hz

Operating temperature 40 °F to 95 °F (5 °C to 35 °C)

Features

Easy access door and removable screw for thorough cleaning

Effortless screw adjustment without alignment

Integrated filling and weighing systems under a single interface

High filling accuracy with +/- 1 oz (28 g) @ 2 sigma*

Dust collection hood and duct assembly

SpeedAC iQ controller

Compact, ideal for low head room installation

Options

Stainless steel product contact surfaces

Upgrade to larger HMI with graphical data displays

Hopper with agitator to prevent product blockage

Available for open-mouth bags

Motors and electrical enclosures for hazardous environments

Automatic start switch

Lifetime

Client Solutions

Premier Tech Client Solutions take a personalized approach to **lifecycle management**, creating enhanced solutions customized to your specific needs that develop your own capabilities and operational habits, and help you achieve and maintain productivity.

The Client Solutions passionate team acts as a **partner** by maintaining constant collaboration and putting your interests at the heart of daily decisions throughout your equipment's lifecycle.

Our programs are designed to help you reach your highest **Overall Equipment Effectiveness (OEE)** and maximize your **Return on Investment (ROI)** by providing you with the most valuable lifecycle services in the industry focusing on critical areas such as **24/7 technical support, spare parts, field service, training, system assessments and optimization**.



PT Systems and Automation

The information contained in this brochure is based upon the latest information available at the time of publication and is designed to provide you with a general introduction to our products. We make no warranties or representations as to its accuracy. We are continually updating and improving our products and reserve the right to amend, discontinue or alter specifications and prices without prior notice. Premier Tech is a registered trademark of Premier Tech Ltd.



6 6 🖸

PTSYSTEMSAUTOMATION.COM

20250307 © Premier Tech Ltd, 2025